

Fezziwig



Fezziwig is a cozy,
top down, raglan cardigan with masculine
appeal. Thoughtful details and shaping
maintain the sweater's feminine shape and
offer classic charm.



Recommended Yarn:

Osprey by Quince and Co Yarns;
[Aran/10 ply (8 wpi), 170 yards (155 meters)
100 grams (3.53 ounces)]

Gauge: 14 sts and 16 rows over 4"/10 cm of stockinette
stitch with size US 11/8 mm knitting needles.

Needles:

- US Size 11/8mm, 36"/91cm circular knitting needles
- US size 11/8mm, 4 dpns, or long circular knitting needles for magic loop
- US size 10/6mm, 36"/91cm circular knitting needles
- US size 10/6mm, 4 dpns, or 36"/91 cm circular knitting needles for magic loop
- US size 11/8mm, 48"/120cm, circular knitting needles
- US size 13/9mm, 48"/120cm knitting needles

Notions:

- 2 yards/meters lightweight jacquard ribbon for lining your button band (optional)
- Matching needle and thread (optional)
- 7 buttons
- 6 stitch markers

To Fit Bust Size		Yarn Requirements	
inches	cm	yds	m
32	81	900	823
34	86	956	874
38	97	1126	1030
42	107	1296	1185
46	117	1636	1500
50	127	1976	1807

Before you begin:

Method: This cardigan is worked flat, from the top down, on circular needles. Stitches of the button band and collar are picked up and knit using short row shaping. Pockets are set in. Sleeves are knit in the round for a seamless finish.

The neckline for this cardigan is shaped by increasing at the neckline every 3rd row. Increases will be created on both RS and WS rows by kfb, or pfb. Neckline increases are worked throughout the raglan shaping section, as well as after raglan shaping is complete.

It is also recommended that you do **not** slip the first stitch of every row for this pattern but work it as stated.

There are links to the techniques used in this design in the References chapter at the end.

The Pattern:

With US Size 11/8mm 36"/91cm, circular knitting needles, use long tail method to c/o 35 (42, 48, 58, 63, 66) sts

Set Up For Raglan Shaping: P2 (2,2,2,2,2), pm, p3 (5, 7, 11, 11,11), pm, p25 (28, 30, 32, 37, 40), pm, p3 (5, 7, 11, 11, 11) pm, p2 (2,2,2,2,2).

Row 1 (RS): [K to one st before marker, m1l, k1, sm, k1, m1r] repeat 3 times, knit to end.

Stitches should be set up as follows: 3/5/27/5/3
(3/7/30/7/3, 3/9/32/9/3, 3/13/34/13/3, 3/13/39/13/3, 3/13/42/13/3)

Row 2 (WS): Purl

Row 3 (RS) (neckline shaping):

K1, kfb, [K to one st before marker, m1l, k1, sm, k1, m1r] repeat 3 times, k to last 2 sts, kfb, k1.

Stitches should be set up as follows: 5/7/29/7/5
(5/9/32/9/5, 5/11/34/11/5, 5/15/36/15/5, 5/15/41/15/5, 5/15/44/15/5)

Row 4: Purl

Row 5: (RS): [K to one st before marker, m1l, k1, sm, k1, m1r] repeat 3 times, knit to end.

Row 6: (WS) (neckline shaping): p1, pfb, purl to last 2 sts, pfb, p1.

Stitches should be set up as follows: 7/9/31/9/7
(7/11/34/11/7, 7/13/36/13/7, 7/17/38/17/7, 7/17/43/17/7, 7/17/46/17/7)

Repeat rows 1 to 6: 3(4, 4, 4, 5, 5) times more.

Sizes 32", 42" and 50": work rows 1 to 4 once more.

Size 38" and 46" work rows 1 and 2 once more

All Sizes: Stitches should be set up as follows:
25/31/53/31/25 (27/35/58/35/27, 27/39/62/39/27, 30/45/66/45/30 33/49/75/49/33, 35/51/80/51/35)

Place a removable stitch marker, or piece of waste yarn in the first and last stitch of the last increase row. Leave these markers in place until working button band.

Divide For Sleeves:

Continue to increase on the Front edges as before and at the same time work as follows:

Note sizes 38" and 46" need to work the neck increase on the next round:

Next Row (RS): Remove markers as you come to them. K to first marker, place next 31 (35, 39, 45, 49, 51) sts on waste yarn, using backwards loop cast on, c/o 1 (1, 2, 3, 2, 4) st(s), pm, c/o 1 (1, 2, 3, 2, 4) st(s), k across back sts, place next 31 (35, 39, 45, 49, 51) sts on waste yarn, using backwards loop cast on, c/o 1 (1, 2, 3, 2, 4) st(s) pm, c/o 1 (1, 2, 3, 2, 4) k to end.

Stitches should be set up as follows: 26/55/26
(28/60/28, 30/66/30, 34/72/34, 35/79/35, 39/88/39)

Next row: (sizes 32", 42", 50" make front inc): Purl.

Waist Shaping:

Row 1 (RS): (Size 34" make front inc): K to 3 sts before 1st marker, ssk, k1, sm, k1, k2tog], repeat at 2nd marker, k to end. (4 sts decreased)

Row 2: Purl (38" and 46" make front inc)

Row 3: Knit (32", 42", 50" make front inc)

Row 4: Purl (34" make front neck inc)

Row 5: (38" and 46" make front inc) K to 3 sts before 1st marker, ssk, k1, sm, k1, k2tog], repeat at 2nd marker, k to end. (4 sts decreased)

Work in stockinette st, remembering to increase at the neckline only on each 3rd row, until fronts have 27 (29, 32, 37, 40, 43) sts each.

Work in stockinette stitch without any shaping until garment measures 6(6, 6, 5.75, 5.5, 5.5)" /15.2(15.2, 15.2, 14.6, 13.9, 13.9) cm from the underarm. End with a RS row.

Stitches should be set up as follows: 27/51/27
(29/56/29, 32/62/32, 37/68/37, 40/75/40, 43/84/43)

Sizes 32"- 34"Only (WS): Increase Row For Back Cable:

32": P52, pfb, p to end. Back has 52 sts

34": P57, pfb, p to end. Back has 57 sts

All other sizes: Purl.



Back Cable (you may wish to place additional markers to mark the 36 (41, 46, 46, 51, 56) sts of the back cable, the choice is yours. Please note, however, that those markers are not mentioned in the following rows)

Row 1 (RS): K to 1st marker, sm, k8 (8, 8, 11, 12, 14), [p1, k4] rep 6 (7, 8, 8, 9, 10) times more, p1, k8 (8, 8, 11, 12, 14) sm, k to end.

Row 2 (WS): P to 1st marker, sm, p8 (8, 8, 11, 12, 14), k1 [p4, k1] rep 6 (7, 8, 8, 9, 10) times, p8 (8, 8, 11, 12, 14), sm, p to end.

Row 3: K to 1st marker, sm, k8 (8, 8, 11, 12, 14), [p1, 2/2 LC], rep 6 (7, 8, 8, 9, 10) times, p1, k8 (8, 8, 11, 12, 14), k to end.

Row 4: P to 1st marker, sm, p8 (8, 8, 11, 12, 14), k1, [p4, k1] rep 6 (7, 8, 8, 9, 10) times, p8 (8, 8, 11, 12, 14), p to end.


Repeat rows 1-4 of back cable pattern, 3 times more.

If you have a long waist, repeat rows 1-4 for a 4th time.

Next row: Knit

Back Cable Chart

RS rows and WS rows worked from right to left



Pockets and Hip Shaping:

First you will be creating a pocket opening by putting sts on hold.

Set Up Row 1 (WS): P5 (5, 6, 10, 10, 13) sts, **pm**, place next 20 sts on waste yarn, provisionally c/o 20 sts, **pm**, join to work, p2 (4, 6, 7, 10, 10), sm, p across back sts, sm, p2 (4, 6, 7, 10, 10), **pm**, place next 20 sts on waste yarn, provisionally c/o 20 sts, **pm**, join to work, p5 (5, 6, 10, 10, 13) sts.

The two sets of 20sts put on hold will form the pocket lining; the pocket lining will be created later.

Set up row 2: Hip Shaping Row (RS): K to 1 st before first side marker, m1r, k1, sm, k1, m1l, k to 1 st before 2nd side marker, m1r, k1, sm, k1, m1l, k to end. Total 110 (119, 130, 146, 159, 170) sts

Set up row 3: Purl to 1st marker, sm, k1, p4, k2, p6, k2, p4, k1, sm, purl to 5th marker, sm, k1, p4, k2, p6, k2, p4, k1, sm, purl to end.


On the following rows you will work the pocket sts in a cable pattern while at the same time working 3 sets of hip increases. The pocket sts are written between the paranthesis [] you may refer to the chart for those sts if preferred.

Row 1 (RS): K to 1st marker, sm, [p1, 2/2 LC, p2, k6, p2, 2/2 LC, p1], sm, k to 5th marker, sm, [P1, 2/2 LC, p2, k6, p2, 2/2 LC, p1], k to end

Row 2: P to 1st marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to 5th marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to end.

Row 3: Hip Shaping Row (RS): K to 1st marker, sm, [p1, 2/2 LC, p2, 3/3 LC, p2, 2/2 LC, p1], sm, K to 1 st before 1st side marker, m1r, k1, sm, k1, m1l, k to 1 st before 2nd side marker, m1r, k1, sm, k1, m1l, k to 5th marker, sm, [p1, 2/2 LC, p2, 3/3 LC, p2, 2/2 LC, p1], sm, k to end. Total: 114 (123, 134, 150, 163, 174) sts

Row 4: P to 1st marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to 5th marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to end.




Row 5: K to 1st marker, sm, [p1, 2/2 LC, p2, k6, p2, 2/2 LC, p1], sm, k to 5th marker, sm, [p1, 2/2 LC, p2, k6, p2, 2/2 LC, p1], sm, k to end.

Row 6: P to 1st marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to 5th marker, sm, [k1, p4, k2, p6, k2, p4, k1], sm, p to end.

Repeat rows 1-6 working a hip increase before and after the side markers on rows 1 and 5 only.

Remove side markers. Total: 122 (131, 138, 158, 171, 182) sts.

Repeat rows 1-6 omitting all increases. Work should measure 6"/ 15.2 cm from the start of the pockets section.



Hem:

Switch to US size 10/6mm 36"/91cm, circular knitting needles

Work in k1 x p1 rib until hem measures 3"/7.6 cm
Using US size 11/8mm knitting needles, B/O in pattern.

Pocket Lining:

Transfer 20 sts of pocket lining to US size 11/8mm knitting needles.

Begin with a RS row. Work in stockinette stitch until lining measures 6.5"/16.5 cm. B/O. Cut yarn leaving 24"/61cm long tail for seaming. Seam the pocket lining to the WS of the sweater. *Note: blocking the lining first will aid in keeping the edges flat for seaming.*

Pocket Edging:

Transfer provisionally cast on sts of the pocket opening to US size 10/6 mm knitting needle.

Row 1 (RS): Knit

Row 2: P 10, create buttonhole (*optional*), p to end.

B/o using I-cord method.

Carefully seam leftover holes being careful not to pucker the fabric.

Secure the pocket in place by tacking the bottom corners of the pocket to the sweater.



Sleeves (both alike):

Transfer 31 (35, 39, 45, 49, 51) sts from waste yarn to US size 11/8 mm dpns, or circular knitting needles for magic loop. Rejoin yarn and pick up and knit 1 (1, 1, 1, 1, 1) sts of the underarm, pm to mark the beginning of the round, pick up and knit 4 (4, 6, 8, 8, 10) sts.

Total: 36 (40, 46, 54, 58, 62) sts

Join for knitting in the round.

Rounds 1-6: Knit

Round 7: K1, k2tog, k to last 3 sts, ssk, k1.

Total: 34 (38, 44, 52, 56, 60) sts

Continue in this manner, decreasing every 7th row, 2 times more. Total: 30 (34, 40, 48, 52, 56) sts

Work in stockinette stitch until sleeve measures 14.5 (15, 15, 15.5, 15.5, 15.5)"/ 37 (38, 38, 39, 39, 39) cm from under the arm.

Switch to US size 10/6 mm knitting needles (dpns, or circular for magic loop)

Work in k1 x p1 rib until sleeve measures 20 (21, 21, 21.5, 21.5, 21.5)"/51 (53, 53, 53, 55, 55)cm, or desired length.

Button Band and Collar:

With RS facing, using US size 10/6mm 48"/120cm needles, starting at the bottom left corner pick up and knit 3 sts for every 4 rows up the left front side to the marker, place marker on working needle; pick up and knit one st per row up the left front neckline; pick up and knit 2 of every 3 sts across the sleeves and back; pick up and knit one st per row down the right neckline to the marker; pick up and knit 3 sts for every 4 rows down the right front.

Work 4 rows in garter stitch, sm as you come to them.

Buttonhole row (WS): (*see reference chapter for links*)

K to 1st marker, sm, k to 2nd marker, sm, k1, [create buttonhole, k10] repeat 3 times more, k to end.

Short Row Shaping For Collar:

Row 1(RS): K to 2nd marker, sm, wrap the next st, turn work.

Using US 13/9mm knitting needles (*leave sts of the button band on US 10/6mm circular needle*)

Row 2: K to marker, sm, wrap the next st, turn work.

Row 3: K to 2 sts before the previous wrapped st, wrap the next st, turn work.

Row 4: K to 2 sts before the previous wrapped st, wrap the next st, turn work.

Repeat rows 3-4, 13 times more.

Row 24: (RS): K to end, hiding all wraps and removing markers as you come to them.

Row 25 (WS): K to end hiding all wraps and removing markers as you come to them

Row 26: Knit

Bind off loosely.

Finishing:

Weave in ends and gently steam block paying special attention to pockets.
Do not over block collar.

Adding ribbon will not only help to secure your buttons to your knit fabric,
but will also add charm.

Lay sweater flat so that the fronts open to you. Cut a length of ribbon that is
long enough to fold over 1" (2.54cm) at each end to prevent fraying.

Pin ribbon into place near the edge of the fabric on the WS, so that the
stitches of the bound off edge are still visible.

Sew along the top, the outside edge and bottom edge only of the ribbon.

Sew buttons in place. Placing a small button on the inside of the garment
behind the main button will add strength to the fastening, as in picture here.

Weave in loose ends.

Wear and enjoy!



Actual Finished Measurements



Circumferences:

Bust:

32(34, 38, 42, 46, 50)"
81(86, 97, 107, 117, 127)cm

Hem:

37(39, 42, 47, 51, 54)"
94 (99, 107, 119, 130, 137)cm



References and Notes:

☞ Button holes: I highly recommend using a Reinforced (or One Row) Buttonhole. For this sweater, you will be binding off 3 sts, and then casting on 4 just as the video link below demonstrates. If you are more comfortable with a different type of button hole, you are welcome to use your preferred method; however, the One Row Buttonhole gives a really wonderful, structured finish.

☞ It is recommended that you do NOT slip the first stitch of every row but work it as stated.

Video Tutorials

☞ I-cord Bind Off:

www.youtube.com/watch?v=Ij8aSPnAcjs

☞ Long Tail Cast On:

www.youtube.com/watch?v=ibiZd1aOFUM

☞ Backwards Loop Cast On:

www.youtube.com/watch?v=iRIU1mXoZrg

☞ Provisional Cast On:

www.youtube.com/watch?v=DXp8rUNxJtY

☞ Short Row Shaping:

www.youtube.com/watch?v=UfGpKiNfQmk

☞ Mattress Stitch:

www.youtube.com/watch?v=9cFfNVDY7oM

☞ One Row Button Hole:

www.youtube.com/watch?v=EY4vBzLo-Xs

☞ Steam Blocking:

www.youtube.com/watch?v=kFmYp2JQjeo&list=UUJbgKjzEmTu1Wkr2LA7uG1g&index=3

Copyright:

This pattern and items made from the pattern are for personal use only and not to be resold without consent from the designer, Melissa Schaschwary. Thank you!

Contact Details:

Ravelry Username: [Dandiliongrl](https://www.ravelry.com/users/dandiliongrl)

Ravelry Group: www.ravelry.com/groups/plum-dandi

Email: dandiliongrl12@yahoo.com

Acknowledgements: I would like to thank my testers for their time and loyalty, my tech editor, Jan for her keen eye, Quince and Co. for amazing materials, and my family for putting up with my shenanigans.

Abbreviations

K = knit

P = Purl

c/o = cast on

st(s) = stitches

pm = place marker

sm = slip marker

RS = right side

WS = wrong side

M1L = make one left: insert the left-hand needle, from front to back, under the strand of yarn which runs between the stitch just worked and the next stitch on the left-hand needle. K this stitch through the back loop.

M1R = make one right: insert the left-hand needle, from back to front, under the strand of yarn which runs between the stitch just worked and the next stitch on the left-hand needle. K this stitch through the front loop.

kfb = knit into the front and back of the same st

pfb = purl into the front and back of the same st

Inc = increase

ssk = slip the next 2 sts, then k through the back loops

2/2 Lc = slip 2 sts to cable needle, and hold to front, k2, k2 from cable needle.

3/3 Lc = slip 3 sts to cable needle and hold to front, k3, k3 from cable needle